


American Panel HEARTH PRODUCTS

Full Line of Hearth Pads



The natural choice for home & hearth.



Traditional Hearth Pad Tile Colors

Select from a large variety of tile colors that will look best with your stove and home. Looking for a more complex color combination? Add extra beauty to your stove while providing excellent protection with a two-tone tile hearth pad.

Current tile offerings are subject to change, and the actual tile color may vary from the product picture. Tile shown in any lifestyle pictures may or may not be available. Please check americanpanelhearth.com for a current list of available products.



Autumn



Carmel



Black Jack



Desert Canyon



Desert Storm



Glacier Gray



Imperial Black



Lake Sand



White Sand



Volcanic Sand



Night Shadow

Slate and Stone Colors

Natural Cleft Slate is the most popular texture for slate flooring. The surface is moderately rough, giving your hearth pad a unique, slip-resistant appearance. If you want a more earthy feel and antique look for your hearth pad, Tumbled Slate is a versatile material that aesthetically adds to the interior of any home. Polished Slate is often considered more elegant than natural slate, having a more “finished” look.

Color of slate and stone will vary from product pictures as these are natural stone. Please check americanpanelhearth.com for a current list of available products.



Random Square Cut Styling

The Random Square Cut style's lack of symmetry makes it unique and beautiful when using stone finishes. Available with Asian, Polished Copper, and Indian Silver.



Venetian Inlay Detail

Enhance your tile or slate hearth pad with Venetian Inlay for a more sophisticated look. Also available with Polished Copper and Indian Silver.



Accessories

Wall Pads

Our fully non-combustible wall pads are available for flat walls or corners for the Original or Colonial Edge pads. We make matching wall pads to go with every size floor pad, even custom sizes. Our mounting brackets raise the pad 1" off the hearth pad and hold it 1" away from the wall. This mounting system and our fully noncombustible design can reduce clearances to a combustible wall by up to 66% in many cases. Talk with your stove dealer and check your stove manual for clearance requirements for your stove.

- Available for standard (single wall board) and corner (two wall boards) installations.
- May reduce clearances to combustible walls.
- Mounting brackets are available to space wall pad(s) - 1" off hearth pad and 1" away from the wall.
- Provides an attractive hearth setting for your stove.



Pedestals for Hearth Pads

Matching pedestals are available for all sizes and shapes, including special orders. Pedestals are offered in tile, slate, stone or brick and are designed and built to be slightly smaller than the hearth pad. The hearth pad, which is a separate unit, will overhang the pedestal on all sides.

Standard Pedestal - 6" Height

- Available with or without thermal value: No thermal value – pedestal will include a 3/4" solid top surface (not just framing).
- Thermal Value Pedestal: R-value of 2.08 includes 1" mineral fiberboard, R-value of 3.12 includes 1-1/2" mineral fiberboard.
- These two options when combined with the hearth pad will increase the total R-value to a minimum of 3.67 and 4.71 respectively.
- Solid 3/4" surface is installed under the mineral fiberboard and is not included in the R-value rating.

Spartan Shield

- 1" frame – black powder coat (same as hearth pad frame).
- 1" of Micore 300, providing an R-value of 2.08 in addition to the R-value of the hearth pad.
- Can be used with any of our frame offerings.
- Designed and built to be slightly smaller than the actual hearth pad.
- Spartan Shield and hearth pad are separate units.



Examples above are of the Standard Pedestal with assorted tile options.



Protection for Your Floors

TYPE 1 - Ember Defender


Steel Hearth Pads (Ember Protection Only)

All wood, pellet, and coal free-standing stoves require a hearth pad to protect your floor from falling embers. The Ember Defender may be the perfect choice if this is the case with the stove you have selected. If your stove requires the hearth pad to be Type 2 or requires the hearth pad to provide thermal protection (a specific R-value), you must select a traditional heart pad.

Color Options / Shapes / Sizes

The Ember Defender is available in black only. The black powder coating has a slight texture and is applied to both sides. Either side can be used as the top if one side is not perfect after being shipped to your location. Please note in addition to being available in **black only**, the Ember Defender is available in fewer shapes and sizes than our traditional hearth pads. The **front edge corners are rounded** versus a straight 45-degree angle.

- Provides excellent Type 1 protection.
- Heavy duty 10-gauge (1/8" thick) steel.
- Listed to UL 1618 tested protection for your family's safety/security.
- No removal of carpeting required.
- Ground strap kit available if needed.
- Manufactured in the USA.



Heat Protection for Floors

TYPE 2 - Traditional Hearth Pads

(Ember & Thermal Protection)

For today's highly efficient stoves, an American Panel non-combustible hearth pad will block the heat from passing through to your subfloor. Fully non-combustible, with an R-value of 2.24 or 1.592 (R-value information), it provides protection well above the minimum requirements for Type 2 hearth pads (minimum requirement of R-value=1.0). ThermaShield or a 6" pedestal is recommended for hearth pads requiring an extremely high R-value. All our pads are tested to meet or exceed UL 1618.

Original Edge Frame

Hearth Pads Sizes up to 48" x 54"
With R-value of 2.24

- 1" frame
- 30% lighter than other hearth pads.
- Single 1/2" non-combustible substrate with significantly higher R-value than other substrates.

Hearth Pads Sizes 54" or Larger With
R-value of 1.592

- 1-1/4" frame
- Two substrates equal to 3/4" that provide a slightly lower R-value than the single substrate in our 1" frame.
- Two substrates are required to provide strength for larger hearth pads.



Colonial Edge Frame

Hearth Pads Available in Any Size With R-value of 1.592

- 1-1/4" frame
- Utilizes two substrates that equal 1/4" and provide the necessary strength for larger hearth pads.
- Provides an R-value of 1.592, which is well above what is required by Standard 1618 and required by most stoves.








Shapes & Sizes

Our pads are offered in most popular sizes and shapes. Please consult your stove's owner's manual to determine the clearance requirements of your stove. Your hearth pad dealer can help you choose the most appropriate pad size and shape for your home. Custom sizes are welcomed but cannot exceed 60".

Measurements

Shapes (inches)	A	B	C	D	E	F
Hearth Extension						
12 Extension	12	48	7 ¾	39 ½	6	NA
18 Extension	18	48	13 ¾	39 ¾	6	NA
Corner (SL)						
32 SL	32	32	26 ½	26 ½	8	42
36 SL	36	36	30 ½	30 ½	12	45
40 SL	40	40	31 ½	31 ½	12	50
44 SL	44	44	35 ½	35 ½	12	56
48 SL	48	48	37 ½	37 ½	15	60
54 SL	54	54	43 ½	43 ½	15	69
60 SL	60	60	49 ½	49 ½	15	77
Standard (DL)						
32 DL	32	32	26 ½	20 ½	8	NA
36 DL	36	36	30 ½	24 ½	8	NA
40 DL	40	40	31 ½	23	12	NA
44 DL	44	44	35 ½	27	12	NA
48 DL	48	48	37 ½	27	15	NA
48D x 54W DL	48	54	37 ½	39	15	NA
54D x 48W DL	54	48	43 ½	27	15	NA
54 DL	54	54	43 ½	27	15	NA
60 DL	60	60	49 ½	39	15	NA
Octagon (OCT)						
24x32 OCT	24	32	16	23 ½	6	NA
24x36 OCT	24	36	16	27 ½	6	NA
Wall (SQ)						
36x48 SQ	48	36	NA	NA	NA	NA
40x48 SQ	48	40	NA	NA	NA	NA
48x48 SQ	48	48	NA	NA	NA	NA
54x48 SQ	48	54	NA	NA	NA	NA



American Panel HEARTH PRODUCTS

www.americanpanelhearth.com

Made in the USA 

Color shade variations are inherent in all products. Please note, colors shown in this brochure may vary slightly from the actual products. Prices are subject to change without notice.

Authorized Dealer

11/23



Tested, Approved & Listed to UL-737, UL-1482, UL-127, UL-1618 & NFPA 211 safety standards for wall & floor protectors & hearth extensions.